



May. 31. 2005 10:06AM

No. 3134 P. 2

700650-1002

Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Gary Stephen Moore, et al. Confirmation No. 3697
Serial No.: 10/700,262 Customer No. 38406
Filing Date: November 3, 2003
Group No.: 3644
Examiner: Bret C. Hayes
For: TRANSPORTABLE, POSITIONABLE, DIRECTIONAL
INSECT CONTROL SYSTEM

Mail Stop ISSUE FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT UNDER RULE 1.312

Applicant has reviewed the application and believes the following errors to be sufficient to require correction. Kindly amend the application as follows:

IN THE SPECIFICATION

Page 2, line 22, replace "misting systems they" with -- misting systems may--.
Page 4, line 11, replace "typically a" with --typically an--.
Page 9, line 12, replace "manner as to the" with --manner as to--.
Page 10, line 16, replace "electric cord 24" with --electric cord 34--.
Page 11, line 10, replace "housing" with --housed --.
Page 15, line 9, replace "electric cord 24" with --electric cord 34'--.
Page 16, line 2, replace "housing" with --housed --.
Page 16, line 12, replace "repositioning as" with -- repositioned as --.

It is believed that no fee is due. If this is incorrect, the Commissioner is hereby authorized to charge any fees which may be required by this paper to Deposit Account No. 50-0856.

OK TO
ENTER
6/15/05